

1. In html_____tag defines paragraph.

- a) <p> b) <para> c) <table> d) <section>

Ans. a

2. What is Default extension for a HTML document?

- (a) .htm (b) .html (c) both a & b (d) none of them

Ans. c

3. HTML tag begins with_____symbol.

- (a) < (b) > (c) <! (d) !>

Ans. a

4. HTML tag ends with_____symbol.

- (a) < (b) > (c) <! (d) !>

Ans. b

5. HTML comment begins with_____symbol.

- (a) < (b) > (c) <! (d) !>

Ans. c

6. HTML comment ends with_____symbol.

- (a) < (b) > (c) <! -- (d) -->

Ans. d

7. Most of the HTML tags have a corresponding closing tag, which begins with_____symbol.

- (a) <! - -
(b) < /
(c) < :
(d) <

Ans. b

8. If a HTML tag does not have explicit closing tag, the tag may be closed with_____symbol instead of a simple >symbol.

- (a) > (b) : > (c) /> (d) @ >

Ans. c

9. The title to be displayed at the top of the browser window or browser tab is enclosed in_____.

- (a) < HTML > ::: < =HTML > (b) < HEAD > ::: < =HEAD >
(c) < TITLE > ::: < /T ITLE > (d) < BODY > ::: < =BODY >

Ans. c

10. Paragraph is contained inside_____HTML tags.

- (a) < p > ::: < /p >
(b) < center > ::: < =center > or < div align =\center" > ::: < =div >
(c) < div align = \left" > ::: < =div >
(d) < div align = \right" > ::: < =div >

Ans. a

11. Elements to be centre aligned in browser display are enclosed inside_____HTML tags.

- (a) < p > ::: < =p >
(b) <center> ::: < =center > or < div align = "center" > ::: < /div >
(c) < div align = \left" > ::: < =div >
(d) < div align = \right" > ::: < =div >

Ans. b

12. Elements to be left aligned in browser display are enclosed inside_____HTML tags.

- (a) < div align = \justified" > ::: < =div >
- (b) < center > ::: < =center >or < div align =\center" > ::: < =div >
- (c) < div align = "left" > ::: < /div >
- (d) < div align = \right" > ::: < =div >

Ans. c

13. Elements to be right aligned in browserdisplay are enclosed inside_____HTML tags.

- (a) < div align = \justified" > ::: < =div >
- (b) < center > ::: < =center >or < div align =\center" > ::: < =div >
- (c) < div align = \left" > ::: < =div >
- (d) < div align = "right" > ::: < /div >

Ans. d

14. Elements to be justified (aligned usewith left and right edges) in browser display are enclosed inside_____tags inHTML.

- (a) < div align = "justified" > ::: < /div >
- (b) < center > ::: < =center >or < div align =\center" > ::: < =div >
- (c) < div align = \left" > ::: < =div >
- (d) < div align = \right" > ::: < =div >

Ans. a

15. _____HTML tag displays animage in HTML page.

- (a) <imgsrc= "file name.jpg" >
- (b) <tableborder= 1 > ::: < =table >
- (c) <tableborder= 0 > ::: < =table >
- (d) <ahref= \target:htm" > ::: < =a >

Ans. a

16. HTML tag displays a table without border.

- (a) <imgsrc= \file.jpg" >
- (b) <tableborder= 1 > ::: < =table >
- (c) <tableborder= 0 > ::: < /table >
- (d) <ahref= \target:htm" > ::: < =a >

Ans. c

17. _____HTML tag creates alickable hyper link for navigation inside the same page or between differentpages.

- (a) <imgsrc= \file.jpg" >
- (b) <tableborder= 1 > ::: < =table >
- (c) <tableborder= 0 > ::: < =table >
- (d) <ahref= "target.htm" > ::: < /a >

Ans. d

18. _____HTML tag displays a table with border thickness of 1 pixel.

- (a) <imgsrc= \file.jpg" >
- (b) < table border = 1 > ::: < /table >
- (c) < table border = 0 > ::: < =table >
- (d) < a href= \target:htm" > ::: < =a >

Ans. b

19. _____HTML tag can control fontface, size and colour.
(a) < font face = "Arial" size = "1" color = "red" > ::: < /font >
(b) < H1 > ::: < =H1 >
(c) < H2 > ::: < =H2 >
(d) < H3 > ::: < =H3 >

Ans. a

20. _____HTML tag displays headingsof the largest size.
(a) < font face = \Arial" size = \+1"color =\red" > ::: < =font >
(b) < H1 > ::: < /H1 >
(c) < H2 > ::: < =H2 >
(d) < H3 > ::: < =H3 >

Ans. b

21. _____HTML tag displays headingsof the second largest size.
(a) < H4 > ::: < =H4 > (b) < H1 > ::: < =H1 >
(c) < H2 > ::: < /H2 > (d) < H3 > ::: < =H3 >

Ans. c

22. _____HTML tag displays headingsof the third largest size.
(a) < H4 > ::: < =H4 > (b) < H1 > ::: < =H1 >
(c) < H2 > ::: < =H2 > (d) < H3 > ::: < /H3 >

Ans. d

23. _____HTML tag displays headingsof the smallest size.
(a) < H6> ::: < /H6>
(b) < H1 > ::: < =H1 >
(c) < H2 > ::: < =H2 >
(d) < H3 > ::: < =H3 >

Ans. a

24. Colour code of #FF0000 stands for_____colour.
(a) blue (b) green (c) red (d) black

Ans. c

25. Colour code of #00FF00 stands for_____colour.
(a) blue (b) green (c) red (d) black

Ans. b

26. Colour code of #0000FF stands for_____colour.
(a) blue (b) green (c) red (d) black

Ans. a

27. Colour code of #000000 stands for_____colour.
(a) blue (b) green (c) red (d) black

Ans. d

28. Colour code of #FFFFFF stands for_____colour.
(a) white (b) green (c) red (d) black

Ans. a

29. Width of elements like image, table, etc. can be controlled using_____attribute.
(a) width (b) height (c) length (d) breadth

Ans. a

30. Height of elements like image, table, etc. can be controlled using_____attribute.

- (a) width
- (b) height
- (c) length
- (d) breadth

Ans. b

31. Width and height value can be specified in _____ or in pixels.

- (a) metre (b) kilometer (c) percentage (d) inches

Ans. c

32. _____ HTML tag creates a break.

- (a) <center> ::: <=center >
(b) <table> ::: <=table >
(c)
(d)

Ans.

d

33. _____ HTML tag displays an image named globe.jpg at 80% of the total width available in the browser.

- (a) <center> ::: <=center >
(b) <table> ::: <=table >
(c)
(d) <br
=>

Ans. c

34. _____ tag in HTML creates a clickable hyperlink. (a) < p > ::: <=p >

- (b) <imgsrc= \globe.png" >
(c) < table border = 1 > ::: <=table >
(d) < a href= "page.html" > :::

Ans. d

35. _____ HTML tag displays a table without border. (a) <tr> ::: <=tr>

- (b) <th> ::: <=th>
(c) < table border = 1 > ::: <=table >
(d) < table border = 0 > ::: </table >

Ans. d

36. _____ HTML tag displays a table with border thickness of 1 pixel. (a) <tr> ::: <=tr>

- (b) <th> ::: <=th>
(c) < table border = 1 > ::: </table >
(d) < table border = 0 > ::: <=table >

Ans. c

37. _____ HTML tag is used to mark header column for a table. (a) <tr> ::: <=tr>

- (b) <th> ::: </th>
(c) < table border = 1 > ::: <=table >
(d) < table border = 0 > ::: <=table >

Ans. b

38. _____HTML tag is used to mark a row for a table. (a) <tr> ::: </tr>
(b) <th> ::: <=th>
(c) < table border = 1 > ::: <=table >
(d) < table border = 0 > ::: <=table >

Ans. a

39. _____HTML tag is used to mark a column inside a row. (a) <td> ::: </td >
(b) <th> ::: <=th>
(c) < table border = 1 > ::: <=table >
(d) < table border = 0 > ::: <=table >

Ans. a

40. Among the following options,_____HTML tag merges 3 columns to create a large column. (a) <tr> ::: <=tr>
(b) <td> ::: <=td >
(c) < td colspan= 3 > ::: </td >
(d) < td rowspan= 4 > ::: <=td >

Ans. c

41. Among the following options,_____HTML tag merges 4 rows to create a large row. (a) <tr> ::: <=tr> (b) <td> ::: <=td >
(c) < td colspan= 3 > ::: <=td > (d) < td rowspan= 4 > ::: </td >

Ans. d

42. HTML form controls commonly use_____tag for taking form input.

(a) <input> (b) < table > ::: <=table >
(c) (d) < form > ::: <=form >

Ans. a

43. HTML form is contained inside_____tag.

(a) <input> (b) < form > ::: </form >
(c) (d) < form > ::: <=form >

Ans. b

44. Input tag in HTML supports_____attribute.

(a) type (b) value (c) name/ID (d) all of them

Ans. d

45. To display a button in HTML form,_____attribute is used in the input tag.

(a) button (b) checkbox (c) color (d) date

Ans. a

46. To display a checkbox in HTML form,_____attribute is used in the input tag.

(a) button (b) checkbox (c) color (d) date

Ans. b

47. To display a colour selection input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. c

48. To display a date input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. d

49. To display a date and time input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) datetime

Ans. d

50. To display a field for email input in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file
(c) hidden (d) image

Ans. a

51. To display a file input dialog in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. b

52. To create a hidden field in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. c

53. To create an image selection tool in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. d

54. To create number input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. b

55. To create password input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. c

56. To create radio button input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. d

57. To create a field for submitting the contents of HTML form to the server, ____ attribute is used in the input tag.

- (a) submit (b) text (c) time (d) url

Ans. a

58. To create a text input field in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time
(d) url

Ans. b

59. To create a time input in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time
(d) url

Ans. c

60. To create a field for taking a web address in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time
(d) url

Ans. d

61. What is the first tag in html document?

- A)**<html> **B)**<head> **C)**<title>
D)</html>

Ans. a

62. What are the two main parts, available in html document?

- A)**Title and Body **B)**Head and title
C)Head and Body **D)**Head and document

Ans. c

63. Which character in html is used to indicate end tag?

- A)**\ **B)** / **C)** ! **D)** <#

Ans. b

64. Which symbols starts with html comments?

- A)**<! **B)**</ **C)**<#
D)<\

Ans. a

65. Which attribute is used with <td> tag to merge two cells horizontally?

- A)**Colspan = 2
B)Rowspan = 2
C)Mergerows
D)mergecols

Ans. a

66. Which tag creates a checkbox for a form in html?

A <check box> **B** <input check box>
C <input = check box> **D** <input type = "check
box">

Ans. d

67. Which html tag is used to add a row in a table?

A <tr> and </tr> **B** <cr> and
</cr> **C** <th> and </th> **D** <td>
and </td>

Ans. a

68. Which html tag is used to divide a row into data cells?

A <tr> and </tr> **B** <cr> and
</cr> **C** <th> and </th> **D** <td>
and </td>

Ans. d

69. Which is the correct syntax for adding alternate text for image, if the image cannot be displayed?

A <imgsrc = "boat.gif" alt = "big boat">
B <imgsrc = "boat.gif" alt text = "big boat"/>
C <imgsrc = "boat.gif" alternate = "big boat"/>
D <imgsrc = "boat.gif" alternate text = "big
boat"/>

Ans. a

70. Which is the correct H1 tag for right alignment?

A <h1 align = "right">.... </h1>
B <h1 tag align = "right">.... </h1>
C <h1 align = "r"></h1>
D <h1 alignment = "right">.... </h1>

Ans. a

71. What is the correct syntax for making a hyperlink?

A <http: // "https://www.myheetson.blogspot.com">
B <url = "https: // www.myheetson.blogspot.com">heetson
C heetson
D heetosn

Ans. c

72. what is the correct html tag for adding a background color?

A <body color = "Yellow"> **B** <body bgcolor =
"Yellow"> **C** <body background = "Yellow"> **D** <body bg
= "Yellow">

Ans. b

73. How do you add a link which will allow the visitor to send an email from the page?

A
B
C <a="mailto">
D <href =
"mailto">

Ans. a

74. which is the correct html tag for making a text input field?\

- A** <text type = "Text">
- B** <input type = "text">
- C** <input type = "textfield">
- D** <input type = "textbox">

Ans. b

75. Which is the correct html tag for creating password field?

- A** <text type = "password">
- B** <input type = "pwd">
- C** <input type = "password">
- D** <input type = "passcode">

Ans. c

76. What is the correct html code for inserting a background image?

- A** <Body background = "image.jpg">
- B** <body = "image.jpg">
- C** <background = "image.jpg">
- D** <body background = image.jpg>

Ans. a

77. Which property of cells will how many rows a cell should span?

- A** Colspan = 5
- B** Rowspan = 5
- C** Cellspan = 5
- D** Span = 5

Ans. b

78. <a> tag in HTML

- a) Alters a hyperlink
- b) Defines a hyperlink
- c) Deletes a hyperlink
- d) Accuses a hyperlink

Ans. b

79. The attribute of <form> tag

- a) Method
- b) Action
- c) Both A and B
- d) None of these

Ans. c

80. What are empty elements and is it valid?

- a) No, there is no such terms as empty elements
- b) Empty elements are elements with no data
- c) No, it is not valid to use empty element
- d) None of these

e) Ans. b

81. Which of the following attributes of text box control allow to limit the maximum character?

- a) size
- b) len
- c) maxlength
- d) All of these

Ans. c

82. Which of the following is a container tag?

- a) <select>
- b) <body>
- c) <input>
- d) Both A and B

Ans. d

83. Correct HTML to left align the content inside a table cell is

- a) <tdleft> b) <td ralign = "left">
- c) <td align = "left"> d) <td
leftalign>

Ans. c

84. The tag which allows you to rest other html tags within the description is

- a) <th> b) <td> c) <tr> d)
<caption>

Ans. d

85. <base> tag is designed to appear only between

- a) <head> b) <title> c) <body> d)
<form>

Ans. a

86. How can you open a link in a new browser window?

- a) b)
- c) d) <a href ="url"
target="open">

Ans. b

87. The latest HTML standard is

- a) XML b) SGML c) HTML 4.0 d) HTML
5.0

Ans. d

88. Main container for <TR> ,<TD> and <TH> is

- a) <Table> b) <Group> c) <data> d) All of
these

Ans. a

89. The body tag usually used after

- a) Title tag b) head tag c) EM tag d) Form
tag

Ans. b

90. Symbol used at the beginning of the HREF text

- is a) # b) \$ c) & d) ^

Ans. a

91. Choose the correct HTML element to define important text

- a)
 b) c) <i> d)
<important>

Ans. b

92. Which doctype is correct for HTML5?

- a) <!DOCTYPE html>
- b) <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 5.0 "https://www.myheetson.blogspot.com">
- c) <!DOCTYPE HTML5>

d) <!doctype
html5.0>
e) Ans. a

93. Which html element is used to specify a footer for a document or section?

- a) <footer> b) <section> c) <bottom> d)
<head>

Ans. a

94. What is the correct html element for playing video files?

- a) <video> b) <media> c) <movie> d)
<mp4>

Ans. a

95. What is the correct HTML element for playing audio files?

- a) <audio> b) <sound> c) <mp3>
d) <music>

Ans. a

96. In HTML, which attribute is used to specify that an input field must be filled out?

- a) formvalidate b) validate c) required d)
placeholder

Ans. c

97. HTML uses

- a) User defined tags
b) Pre-specified tags
c) Fixed tags defined by the language
d) Tags only for
linking

Ans. c

98. The year in which HTML was developed

- a) 1990 b) 1980 c) 2000 d) 1995

Ans. a

99. Fundamental HTML Block is known as _____

- a) HTML body b) HTML tag c) HTML Attribute d) HTML
Element

Ans. b

100. Apart from tag, what other tag may text bold?

- a) <fat> b) c) <black> d)
<emp>

Ans. b

101. HTML web pages can be read and rendered by _____

- a) Compiler b) Server c) Web Browser d)
Interpreter

Ans. c

102. Tags and texts that are not directly displayed on the page are written in _____ section.

- a) <head> b) <title> c) <body> d)
<html>

Ans. a

103. Which of the following is not an attribute of <form>tag

- a) action b) method c) name
- d) url

Ans. d

104. Which of the following is a Declaration for an HTML Document?

- a) <html>.....</html>
- b) <!DOCTYPE html>
- c) <body>..</body>
- d) <p>....</p>

Ans. b

105. If you want to change the text colour to Red which of the following Tags will you use?

- a) <body text =Red>
- b) <body Bgcolor=Red>
- c) <body Colour = Red>
- d) None of these

Ans. a

106. HTML links are Defined with <a> Tag Address Is Specified By Attribute

- a) Href
- b) Hlink
- c) Src
- d) src-link

Ans. a

107. Which program do you need to write HTML?

- a) A graphics program
- b) Any text editor
- c) HTML development suite 4
- d) All of these

Ans. b

108. Which of the following is underline tag?

- a) <pre>
- b)
- c) <u>
- d) <hr>

Ans. c

109. Which tag can set the background color for your page?

- a) <body>
- b)
- c) <head>
- d) <title>

Ans. a

110. Which of the following will not be found in the <head> section?

- a) <table>
- b) <Metatags>
- c) <Title>
- d) None of these

Ans. a

111. If you create an HTML page in word processor

- a) save it with binary file
- b) save it with WMF file
- c) save it with ASCII text file
- d) All of

these

Ans. c

112. What will be added by using `<td>` and `</td>` tag?

- a) rows b) steps c) cell d) columns

Ans. d

113. Which property tells how many rows a cell should span?

- a) `colspan=n` b) `rowspan=n` c) Both A and B d) None of these

Ans. b

114. To set the font for a single link, where do you add the `<font></font>` tags?

- a) In the `<head>` tag
b) Outside the `<a>` and `</a>` tags
c) Inside the `<a>` and `</a>` tags
d) None of these

Ans. c

115. which tag tells where a link starts?

- a) `<a>` b) `<i>` c) `<body>` d) none of these

Ans. a

116. To change the size of an image in HTML, use

- a) Pliers b) Bigger and smaller c) Top and Bottom d) Height and width

Ans. d

117. All HTML documents will be basically

- a) Graphs b) Text c) Pictures d) None of these

Ans. b

118. The attribute used to create the actual section within the current HTML document is

- a) link b) href c) base d) name

Ans. d

119. The format of the `<base>` tag is

- a) `<href = " URL ">` b) `<base = "URL">`
c) `<base URL =>` d) `<base href =`
`"https://www.myheetson.blogspot.com">`

Ans. d

120. The default value of Border attribute is

- a) 1 pixel b) 2 pixel c) pixel d) 4

pixel

Ans. a

121. Which attribute is used to name an element uniquely?

- a) class
- b) id
- c) dot
- d) all of these

Ans. b

122. HTML document is contained inside a set of _____ tags.

- (a) < HTML > ::: < /HTML >
- (b) < HEAD > ::: < =HEAD >
- (c) < TITLE > ::: < =T ITLE >
- (d) < BODY > ::: < =BODY >

Ans. a

123. The top portion of a HTML document containing many meta items and script functions is called

- (a) < HTML > ::: < /HTML >
- (b) < HEAD > ::: < /HEAD >
- (c) < TITLE > ::: < /T ITLE >
- (d) < BODY > ::: < /BODY >

Ans. b

124. The main portion of a HTML document is contained between _____ tags.

- (a) < HTML > ::: < /HTML >
- (b) < HEAD > ::: < /HEAD >
- (c) < TITLE > ::: < /T ITLE >
- (d) < BODY > ::: < /BODY >

Ans. d

125. What is the full form of HTML?

- a) Hyper text markup language
- b) Higher text markup language
- c) Higher text machine language
- d) hyper text machine language

Ans. a

126. All normal webpages consists of

- a) Top and bottom
- b) Body and frameset
- c) Head and Body
- d) None of these

Ans. c